


# NEW PRODUCTS 2014



**NOGA**  
*simply sophisticated*

**NEW** PRODUCTS

# Heavy Duty Adjustable Scraper

## SC 1500

Ideal for scraping, trimming and deburring almost all heavy duty materials. The handle can also hold screw bits.



Includes:

### SC Handle **SC1400**

14 mm dia. hexagonal black anodized 130 mm handle, knurled locking collar to control blade extension.




### T120 Scraper Blade **BT1200**

Heavy duty double ended triangular scraper blade.  
Blade dimensions: 7.4 x 120 mm



**NOGA**  
*simply sophisticated*



# NEW PRODUCTS

## MULTI-BLADES PACK


### BS 9999

Collection of the 10 most popular 3.2 mm Heavy Duty Blades in one pack.

Includes:

**S10, S100 Cobalt, S20, S30, S35, S60, S70, S101, S150, S202**

| Blade       | Order No. | Incl. angle (degrees) | Works best on                            |
|-------------|-----------|-----------------------|--|
| S10         | BS1010    | 40                    | steel, aluminium and plastic             |
| S20         | BS2010    | 60                    | brass and cast iron                      |
| S30         | BS3010    | 40                    | both internal and external burrs         |
| S35         | BS3510    | 55                    | straight edges on most materials         |
| S60         | BS6001    | 40                    | cross holes in difficult to reach places |
| S70         | BS7001    | 45                    | straight edges                           |
| S100 Cobalt | BS1018    | 45                    | plastic and hard materials               |
| S101        | BK1010    | 40                    | fine edges on all materials              |
| S150        | BK3010    | 45                    | holes as small as 1.5mm dia.             |
| S202        | BK2010    | 55                    | brass and cast iron fine edges           |



**NOGA**  
*simply sophisticated*

## NEW PRODUCTS

# Rotodrive Countersink Set

## RD 2010

The quickest way to chamfer by hand.  
Single flute countersink provides  
a smoother cut.



Set Includes:

**NG-1 Handle NG1000**

**S10 Blade BS1010**

3.2 mm **Rotodrive Countersink BC3201**

6.3 mm **Rotodrive Countersink BC6301**

8.3 mm **Rotodrive Countersink BC8301**

10.4 mm **Rotodrive Countersink BC1041**

**NOGA**  
*simply sophisticated*

# NEW PRODUCTS

## QUICK CONNECT COUNTERSINK TOOL

### NG 1800

The quickest way to chamfer by hand.  
Single flute countersink provides a smoother cut.  
Quick connection to the blade holder.  
Working Range: 3 mm-25 mm.

Includes:

**NG-1 Handle NG1000**



**Cranked Quick Connect Holder CH3300**



**25 mm Countersink Blade BC2511**



**NOGA**  
*simply sophisticated*

**NEW DESIGN CONCEPT**  
*Quick Connect Countersink Blade*



external

# NEW PRODUCTS

## Internal & External Quick Connect Countersink Set NG 1810

New Rotodrive Countersink concept allows to chamfer on internal and external bars and tubes. The countersink blades can be easily and quickly connected to the blade holder.

Includes:

**NG-1 Handle NG1000**



**Cranked Quick Connect Holder CH3300**



25 mm **Countersink Blade BC2511**

28 mm **Countersink Blade EX3001**



internal



external

## NEW DESIGN CONCEPT

*Quick Connect Countersink Blade*

internal

## NEW PRODUCTS

# Centering Universal Holders

## NF 1022 / DG 1022

- Used for centering of work pieces.
- Universal fine adjustment. Holds: 6 mm, 8 mm, 3/8", dovetail and back lug.
- Central locking mechanism with spring loaded bearing.
- Centering rod:  $\varnothing 8$  mm x 40 mm
- Black finished arms.

### NF Holder **NF1022**

Dimensions:

Bottom arm: 56 mm

Top arm: 51 mm

### DG Holder **DG1022**

Dimensions:

Bottom arm: 110 mm

Top arm: 101 mm

**INOGA**  
*simply sophisticated*



## NEW PRODUCTS

# FAT & FAB Double Fine Adjustment

## DG 6160

- New double fine adjustment:  
BOTTOM: unique single direction  
TOP: universal swival clamp
- Holds 6 mm, 8 mm, 3/8", dovetail and back lug.
- Unique central locking mechanism with Noga designed spring loaded bearing.
- Five axis holder.



- Instantly fastens in any position.
- Powerful ON/OFF magnetic base 80kg (176 lbs).
- Fast and easy to set up gauges into required position.
- Black finished arms.

Dimensions:  
Bottom arm: 110 mm  
Top arm: 101 mm

**NNOGA**  
*simply sophisticated*



## NEW PRODUCTS

# PH MINI HOLDER With Small Round Magnet

## PH 5000

- Powerful unique round magnet 30 kg (66 lbs) force.
- Holds 6 mm, 8 mm, 3/8", dovetail and back lug.
- Unique swivel clamp for all dial and test indicators.
- Strong arm lock by using the unique 3-point system.
- Easy set up of gauges into required position.
- Black finished arms.

Dimensions:

Post: 110 mm

Arm: 110 mm

**NOGA**  
*simply sophisticated*





## NEW PRODUCTS

# LC MINI HOLDER With Small Round Magnet

LC 6200 / LC 6210

- Powerful unique round magnet 30 kg (66 lbs) force.
- Holds 8 mm (LC6200) or 3/8" (LC6210) and dovetail.
- Unique central locking mechanism with Noga designed spring loaded bearing.
- Five axis holder.
- Instantly fastens in any position.
- Easy set up into required position.
- Black finished arms.

Dimensions:

Bottom arm: 38 mm

Top arm: 38 mm

**NNOGA**  
*simply sophisticated*



**NEW**  
PRODUCTS  
2014



Noga Engineering and Technology (2008) Ltd.  
P.O.B. 55. Dora Industrial Park  
Shlomi 22832, Israel  
Tel: 972-4-9808080  
Fax: 972-4-9808638.  
E-mail: [noga@noga.com](mailto:noga@noga.com)  
[www.noga.com](http://www.noga.com)